



VENEER

WORLD

2026
EDITION

 **LANDMARK**
CERAMICS



A new **landmark** in the porcelain industry

Landmark Ceramics is an American company, based in Tennessee that has set out to research, manufacture and sell top quality porcelain ceramics in North America. Technological innovation, market presence, attention to detail, the welfare of people and the environment, efficient service and a thorough product range make Landmark a new benchmark in the North American market for those who are looking for a reliable partner for any building and architecture project using US made top quality porcelain material.

LEARN MORE ABOUT



— VENEER — WORLD

THE FUTURE
OF TRADITION



CONTEMPORARY WALL DESIGN

Traditional Veneer is reimagined to preserve its beauty and authentic stone feel, while pushing boundaries of material excellence thanks to highly performing porcelain veneer. Refined, modern surfaces, impervious to extreme temperature and unpredictable weather, immune to the signs of time. The tradition has a new future with porcelain veneers.

PROJECT

FLOOR DESIGN

Charme Calacatta Gold 24"x48"

WALL DESIGN

Veneer World Pro Ledgestone Alpine Alaska - 6"x24"



VERSATILITY & CONTINUITY FOR YOUR PROJECTS

ANY SPACE

Thanks to highly performing materials and convenient installation methods, Landmark's Veneer World meets the demands of any environment, no matter the technical requirements.

ANY LOOK

One of the vastest and most versatile collections of wall surfaces, with a wide range of colors you can mix and match according to your needs.

ANY MOOD

Warm and welcoming or cool and modern, for homely residential spaces or edgy commercial settings. Cutting edge and squared shapes or natural and raft surfaces.

ANYWHERE

In & Out continuity is guaranteed by a line of products suitable for both indoor and outdoor spaces, which can easily be matched to other collections.



HIGHLY PERFORMING TECHNICAL SURFACES



FIRE RESISTANT

Porcelain veneer doesn't burn, melt or give off toxic fumes when exposed to fire.



WATERPROOF

Porcelain veneer is very compact and impervious therefore doesn't absorb. With tile you'll never have to worry about water.



MOLD RESISTANT

Because it is fired at very high temperatures, porcelain veneer is nearly impenetrable. This keeps fine dirt particles from being lodged in its surface, making it resistant to mold and moss growth.



LIGHT WEIGHT APPROX 4 LBS/FT²

Porcelain veneer is a thin and therefore light weight material of approximately 4lbs/sqft. This means both less unnecessary pounds onto walls and cost saving in transportation and installation.



SCRATCH RESISTANT

Porcelain veneer is strong, hard and resistant to most type of scratches.



ENERGY EFFICIENT

Tile's inherent thermal mass reduces peak heating and cooling, which helps to moderate temperature swings in your home.



DOESN'T BEND

Porcelain veneer is solid, hard and compact.



ZERO VOC & PVC

Porcelain veneer is completely PVC and VOC (volatile organic compound) free that means a healthier home for you.



ZERO FORMALDEHYDE

Formaldehyde is known to lead to an increased incidence of asthma. Tile has zero formaldehyde.



PLASTIC FREE

Being composed of natural ingredients such as clays, quartz and feldspars and then fired up to 2500 F, porcelain veneer is 100% plastic free. This means a healthier living environment.



STAIN RESISTANT

Porcelain veneer is a very reliable, hygienic, and easy-to-clean material that will never be affected by any permanent type of stain.



FROST RESISTANT

No need to worry during the worst winter conditions of Snow, Ice and Salt. Porcelain veneer in fact is made by high density and homogeneous materials, making it resistant to frost, snow, salt and ice.



UV RESISTANT

Porcelain veneer is fired at 2500 degrees which allows it to resist to sun light and UV rays without being affected in any way, even when exposed to the worst solar heat conditions.



ACID RESISTANT

Porcelain veneer is Inert, hard and because of its imperviousness, it withstands even the most aggressive chemical detergents and acid substances.



VERY LONG SERVICE LIFE

Porcelain veneer when properly installed and maintained can last for decades.



ZERO SMOKE DEVELOPMENT

Porcelain veneer never gives off toxic fumes, even when exposed to fire.



ECO FRIENDLY & RECYCLABLE

Porcelain veneer is one of the most eco-friendly wall covering options available. From the production process to the installed materials, porcelain veneers can in fact be reused generation after generation. In addition, packaging and boxing are both 100% recyclable for a full respect of the environment.



COST SAVING OVER TIME

Thanks to its long service life and easy maintenance, porcelain veneer is very cost effective over time when compared to flooring products that need to be replaced more frequently.

TOTAL LOOK SOLUTIONS

Veneer World is the most comprehensive line of porcelain veneers for outdoor environments and indoor spaces, redefining the longstanding American tradition of stone-inspired walls and decors. A vast selection of solid surfaces for total look projects, ensuring in & out continuity to match Landmark's endless portfolio of looks, colors and surfaces.



INSPIRED BY AMERICAN STONES



Inspired by genuine American stones of architectural and historic significance, Landmark's Veneer World faithfully replicates the rugged texture of nature for solid exteriors, while providing a sense of warmth and hospitality to elegant interiors.



STUNNING OUTDOOR ENVIRONMENTS

- Walls
- Porches
- Swimming Pools
- Fire-pits
- Outdoor Kitchens
- Retaining Walls
- Outdoor Facades

PROJECT

OUTDOOR FLOOR DESIGN

Frontier20 Montauk Black - 12"x48" - 12"x12'

WALL DESIGN

Veneer World Atelier Combed Essence Montauk Black - 12"x24"

FIREPIT DESIGN

Veneer World Pro LedgeStone Ridge Grey - 6"x24"

ELEGANT INDOOR SETTINGS

- Living spaces
- Partitions
- Fireplaces
- Backsplashes
- Decorative Walls
- Spas

PROJECT

FLOOR DESIGN

Trail Vein Cut Grey - 24"x48"

WALL DESIGN

Veneer World Atelier Bamboo Vein Cut Grey - 12"x24"

Trail Cross Cut Grey - 24"x48"

UNIQUE RESIDENTIAL ATMOSPHERE

Veneer World is American living: an opportunity to make your home unique and representative of your taste and personality, contributing to the creation of beautiful settings for everyday comfort.

PROJECT

FLOOR DESIGN

Mood Urban Smoke - 12"x24"

WALL DESIGN

Mood Urban Smoke - 12"x24"

PRESTIGIOUS COMMERCIAL SPACES

Stunning, convenient surfaces designed to meet the demands of commercial locations. Make your business stand out thanks to creative combinations of veneers and tiles from Landmark's portfolio.



PROJECT

WALL DESIGN

Veneer World Atelier Combed Essence Montauk Grey - 12"x24"

FLOOR DESIGN

Essence Refined Montauk Grey - 24"x48"

Essence Refined Montauk Dark - 12"x24"

THREE DIFFERENT FAMILIES, TWELVE DISTINCTIVE SURFACES

ATELIER

Atelier by Landmark introduces a new dimension to Veneer World with its sophisticated three-dimensional surface design. Thin lines of varying thicknesses, shapes and dimensions create a harmonious interplay of textures, perfect for elevating modern indoor and outdoor settings with a touch of creative elegance.



BAMBOO



COMBED

NEW
2026
COLOR



DYNAMIC



WAVE



GROOVE S



GROOVE L



ATELIER XL



STRIPE



LINE



FLUTE



CHISEL

THREE DIFFERENT FAMILIES, TWELVE DISTINCTIVE SURFACES

PRO LEDGESTONE

An elegant finish, highly suitable for indoor spaces or smooth outdoor environments, combining contemporary design and refined taste. Pro ledgestone recreates the patterns of stonework using stacked ledge with ideally no joints thanks to perfect cuts and professional installation.



URBAN LEDGESTONE

Urban is the Porcelain Veneer proposal for whoever is looking for a clean, neat and modern design. Made of listels regular and uniform in height, characterized by a smooth and refined surface finish, Urban is intended for wall compositions to fit any contemporary architectural environments where the tradition of stone veneers meets the elegance of a clean look. Each veneer is composed by the assembling of same height pieces with a 3D relief to create vibrant and new decorative wall surfaces.



1

ATELIER

Contemporary material meets the heritage coming from the stone surface treatment tradition.

Sand blasting, brushing, hammering, carving and engraving all skillfully blended together to complete the offering of Veneer World with a touch of preciousness and elegance.

Atelier is designed to be used in every vertical application, from small walls and backsplashes to façades, both indoor and outdoor, to give unique personality to every project where special attention is needed.

COLLECTIONS

1.1 Groove S

1.2 Groove L

1.3 Dynamic



1.4 Combed

1.5 Wave

1.6 Bamboo

ATELIER

1.1

ATELIER GROOVE S

Scratched finish that blends the elegance of natural stone with a 3D surface effect. The brushed and hammered embossed texture creates special plays of light and shadow, along with surface scratches, enhancing the decorative added value of the product.

PROJECT
WALL DESIGN

Veneer World Atelier Groove S Indiana Salem Buff Select - 12"x24"





ATELIER
GROOVE


**PROJECT
WALL DESIGN**

Veneer World Atelier Groove S Indiana Salem Grey Select - 12"x24"



1.1

**ATELIER
GROOVE S**
Indiana
Salem
Grey
Select



PROJECT

WALL DESIGN

Veneer World Atelier Groove S

Indiana Salem Grey Select - 12"x24"

1.1
ATELIER
GROOVE S
Indiana
Salem
Grey
Select

PROJECT
WALL DESIGN
Veneer World Atelier Groove S
Indiana Salem Grey Select - 12"x24"
FLOOR DESIGN
Spirit Old Maple - 12"x48"



1.1
ATELIER
GROOVE S
Indiana
Salem
Buff
Select



PROJECT
WALL DESIGN
Veneer World Atelier Groove S Indiana Salem Buff Select - 12"x24"



PROJECT
WALL DESIGN
Veneer World Atelier Groove S
Indiana Buff Select - 12"x24"

ATELIER GROOVE S

ATELIER GROOVE S

INDIANA SALEM

BUFF SELECT



\$27%


12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



INDIANA SALEM

GREY SELECT



\$27%

12"x24"
± 0.35" / 9 mm

Color shading



v2

ATELIER

1.2

ATELIER GROOVE L

Same scratched finish as Groove S, but with a larger gap among scratches, that elevates natural inspiration through an innovative technology to create a simple and elegant decoration.

PROJECT

WALL DESIGN

Veneer World Atelier Groove L Indiana Salem Buff Select - 12"x24"

OUTDOOR FLOOR DESIGN

Frontier20 International White - 24"x24"

1.2

ATELIER
GROOVE L
Indiana
Salem
Buff
Select

PROJECT

WALL DESIGN

Veneer World Atelier Groove L Indiana Salem Buff Select - 12"x24"

OUTDOOR FLOOR DESIGN

Frontier20 International White - 24"x24"

1.2

ATELIER
GROOVE L
Indiana
Salem
Buff
Select

PROJECT

WALL DESIGN

Veneer World Atelier Groove L Indiana Salem Buff Select - 12"x24"

Veneer World Atelier Groove S Indiana Salem Grey Select - 12"x24"

FLOOR DESIGN

Frontier20 Explore Everest Dark - 24"x24"

ATELIER GROOVE L

ATELIER GROOVE L

INDIANA SALEM

BUFF SELECT



\$27 %


12"x24"
± 0.35" / 9 mm

Color shading




v2


Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



INDIANA SALEM

GREY SELECT



\$27 %

12"x24"
± 0.35" / 9 mm

Color shading



v2

ATELIER

1.3

ATELIER DYNAMIC

Elaborated finish with multiple geometries on the surface, able to offer a contemporary solution that reserves the natural touch of the stone, characterized by micro lines running along the undulating dunes of the surface.

PROJECT

WALL DESIGN

Veneer World Atelier Dynamic Indiana Salem Buff Select - 12"x24"

1.3

**ATELIER
DYNAMIC**
Indiana
Salem
Buff
Select

PROJECT
WALL DESIGN

Veneer World Atelier Dynamic Indiana Salem Buff Select - 12"x24"

1.3
ATELIER
DYNAMIC
Indiana
Salem
Buff
Select



PROJECT
WALL DESIGN
Veneer World Atelier Dynamic Indiana Salem Buff Select - 12"x24"



PROJECT
WALL DESIGN
Veneer World Atelier Dynamic
Indiana Salem Buff Select - 12"x24"

ATELIER DYNAMIC

ATELIER DYNAMIC

INDIANA SALEM

BUFF SELECT



12"x24"
± 0.35" / 9 mm

Color shading




v2


Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



INDIANA SALEM

GREY SELECT



±27%

12"x24"
± 0.35" / 9 mm

Color shading



v2

1.4
ATELIER
COMBED

Atelier Combed introduces a new decorative solution within Landmark’s Veneer World: a 3D texture characterized by bold grooves. The linear striations along with the interplay of shadows and light evoke the essence of traditional handcrafted tooled surface to showcase a combination of natural and geometric elements for a distinctive visual appeal.

PROJECT
INDOOR WALL DESIGN

Veneer World Atelier Combed Essence Montauk Grey - 12"x24"





1.4

ATELIER COMBED Mood Limestone

PROJECT
OUTDOOR WALL DESIGN
Veneer World Atelier Combed Limestone - 12"x24"
Mood Earth Greige Mosaic J - 12"x12

1.4
ATELIER
COMBED
Mood
Sand

PROJECT
OUTDOOR WALL DESIGN
Veneer World Atelier Combed Sand - 12"x24"

1.4

ATELIER COMBED Mood Dune

PROJECT
OUTDOOR WALL DESIGN
Veneer World Atelier Combed Dune - 12"x24"

1.4
ATELIER
COMBED
Essence
Montauk
White



PROJECT
WALL DESIGN
Veneer World Atelier Combed Essence
Montauk White - 12"x24"



PROJECT
WALL DESIGN
Veneer World Atelier Combed Essence Montauk White - 12"x24"
Veneer World Pro LedgeStone Ridge Beige - 6"x24"

1.4

ATELIER COMBED

Essence Montauk Grey

PROJECT

WALL DESIGN

Veneer World Atelier Combed Essence Montauk Grey - 12"x24"

COUNTER DESIGN

Essence Refined Montauk Grey - 24"x48"



1.4
ATELIER
COMBED
Essence
Montauk
Black

PROJECT
WALL DESIGN
Veneer World Atelier Combed Essence Montauk Black - 12"x24"
OUTDOOR FLOOR DESIGN
Frontier20 Montauk Black - 24"x48" - 12"x24"
FIREPIT
Veneer World Pro LedgeStone Ridge Grey - 6"x24"



ATELIER COMBED



ATELIER COMBED



MOOD
LIMESTONE




12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



MOOD
DUNE



±27%

12"x24"
± 0.35" / 9 mm

Color shading



v2

NEW
2026
COLOR

ATELIER COMBED

MOOD

SAND



\$27%


12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern



1/3 Offset Bond Pattern



ATELIER COMBED

ATELIER COMBED

ESSENCE

MONTAUK WHITE



⌘27 %


12"x24"
± 0.35" / 9 mm

Color shading




v2


Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



ESSENCE

MONTAUK GREY



⌘26 %

12"x24"
± 0.35" / 9 mm

Color shading



v2

ATELIER COMBED

ESSENCE

MONTAUK BLACK



\$26 %


12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern



$\frac{1}{3}$ Offset Bond Pattern



1.5

ATELIER
WAVE

Infinity interprets contemporary trends, expression of a simple taste that is expressed through the soft and natural colors of the stone. A collection of surfaces that look rich and natural, and at the same time elegant and refined, ideal for large and spacious environments where the strength of the material is expressed in projects with minimalist lines.

Wave is distinguished by the three-dimensional carved and machined tooled texture. Its surfaces features a refined and pleasant 3D tactile effect.

PROJECT

WALL DESIGN

Atelier Wave Infinity Absolute - 12"x24"



ATELIER
WAVE



PROJECT
WALL DESIGN
Veneer World Atelier Wave Infinity Sky - 12"x24"
FLOOR DESIGN
Infinity Desert - 12"x24" - 24"x48"

1.5
ATELIER
WAVE
Infinity
Sky

1.5

ATELIER
WAVE
Infinity
Desert

PROJECT

WALL DESIGN

Veneer World Atelier Wave Infinity Desert - 12"x24"

FLOOR DESIGN

Infinity Space - 12"x24"



ATELIER WAVE

ATELIER WAVE

INFINITY

SKY



\$27 %


12"x24"
 ± 0.35" / 9 mm

Color shading




v2


Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



INFINITY

DESERT



\$27 %

12"x24"
 ± 0.35" / 9 mm

Color shading



v2

ATELIER WAVE

INFINITY

ABSOLUTE



↓27%

12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern



$\frac{1}{3}$ Offset Bond Pattern



1.6

ATELIER BAMBOO

With innovative designs inspired by hand-crafted stone engraving, Veneer Atelier Bamboo transforms walls with three-dimensional horizontal slats of varying sizes, adding dynamic depth to indoor and outdoor walls.

The decorative range with 3D Veneer Atelier Bamboo offers versatile options also for backsplash coverings, adding a distinctive design touch to residential spaces. Atelier Veneers provide sophisticated transitions between floors and walls. Their unique design, in a variety of colors matching Trail Refined porcelain tiles, allows for a cohesive look in any interior design project.

PROJECT
WALL DESIGN

Veneer World Atelier Bamboo Trail Vein Cut Pearl - 12"x24"



The Interior Design Handbook

1.6

ATELIER BAMBOO

Trail Vein Cut Pearl

PROJECT

OUTDOOR FLOOR DESIGN

Frontier 20 Travertine Select Cross Cut Pearl - 24"x24"

OUTDOOR WALL DESIGN

Veneer World Atelier Bamboo Trail Vein Cut Pearl - 12"x24"



1.6

**ATELIER
BAMBOO**
Trail
Vein Cut
Grey

PROJECT

FLOOR DESIGN

Trail Vein Cut Grey - 12"x24"

WALL DESIGN

Veneer World Atelier Bamboo Trail Vein Cut Grey - 12"x24"

1.6
ATELIER
BAMBOO
Trail
Vein Cut
Beige



PROJECT
BAR DESIGN
Veneer World Atelier Bamboo Trail Vein Cut Beige - 12"x24"
WALL DESIGN
Trail Vein Cut Beige Mosaic B - 12"x12"
FLOOR DESIGN
Trail Vein Cut Beige - 24"x48"



PROJECT
COUNTER
Veneer World Atelier Bamboo Trail Vein Cut Beige - 12"x24"
OUTDOOR FLOOR DESIGN
Frontier 20 Travertine Select Cross Cut Beige - 24"x24"

ATELIER BAMBOO

ATELIER BAMBOO

TRAIL

VEIN CUT PEARL



\$27 %


12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern




1/3 Offset Bond Pattern



Stack Bond Pattern



1/3 Offset Bond Pattern



TRAIL

VEIN CUT GREY

\$27 %



12"x24"
± 0.35" / 9 mm

Color shading



v2

ATELIER BAMBOO

TRAIL

VEIN CUT BEIGE



27%


12"x24"
± 0.35" / 9 mm

Color shading




v2

Stack Bond Pattern



$\frac{1}{3}$ Offset Bond Pattern





ATELIER XL

Landmark’s three-dimensional surfaces are available in the large 24”x48” format, featuring a variety of textures, looks, and colors.

Thanks to its generous size, Atelier XL are ideal for wall covering of large contemporary spaces, whether in residential or commercial settings.

COLLECTIONS

1.7 Stripe

1.8 Line

1.9 Flute

1.10 Chisel

1.7
ATELIER XL
STRIPE

Essential, geometric,
and flawless straight lines, perfect for a
bold and contemporary look.



PROJECT
WALL DESIGN

Veneer World AtelierXL Stripe Infinity Sky - 24"x48"

1.7

ATELIER XL STRIPE

Infinity Absolute



PROJECT
WALL DESIGN
Veneer World AtelierXL Stripe Infinity Absolute - 24"x48"

1.7
ATELIER XL
STRIPE
Infinity
Sky



PROJECT
WALL DESIGN
Veneer World AtelierXL Stripe Infinity Sky - 24"x48"

1.7
ATELIER XL
STRIPE
Infinity
Desert



PROJECT
WALL DESIGN
Veneer World AtelierXL Stripe
Infinity Desert - 24"x48"

ATELIER XL
STRIPE



1.7

ATELIER XL STRIPE Elite Diamond White

PROJECT
WALL DESIGN
Veneer World AtelierXL Stripe Elite Diamond White - 24"x48"

ATELIER XL STRIPE

ATELIER XL STRIPE



INFINITY

SKY



\$27%

24"x48"
 ± 0.35" / 9 mm

Color shading



v2

INFINITY

DESERT



\$27%

12"x24"
 ± 0.35" / 9 mm

Color shading



v2

ATELIER XL STRIPE

ATELIER XL STRIPE



INFINITY

ABSOLUTE



26 %

24"x48"
± 0.35" / 9 mm

Color shading



v2

ELITE

DIAMOND WHITE



27 %

12"x24"
± 0.35" / 9 mm

Color shading



v2

ATELIER XL

1.8

ATELIER XL
LINE

A subtle vibration of straight lines in
varying thickness and spacing,
offering a discreet, elegant design.

PROJECT

WALL DESIGN

Veneer World AtelierXL Stripe Journey Modern Grey - 24"x48"

1.8

ATELIER XL LINE

Frame Neoclassical Beige

PROJECT

WALL DESIGN

Veneer World AtelierXL Stripe Frame Neoclassical Beige - 24"x48"

ATELIER XL
LINE

1.8

ATELIER XL
LINE

Journey
Natural Ivory

PROJECT

WALL DESIGN

Veneer World AtelierXL Line Journey Natural Ivory - 24"x48"



1.8

ATELIER XL
LINE

Frame
International White

PROJECT

WALL DESIGN

Veneer World AtelierXL Line
Frame International White - 24"x48"

1.8

ATELIER XL
LINE
Journey
Modern
Grey

PROJECT

WALL DESIGN
Veneer World AtelierXL Line Journey Modern Grey - 24"x48"



ATELIER XL LINE

ATELIER XL LINE

JOURNEY

MODERN GREY



24"x48"
 ± 0.35" / 9 mm

\$27 %

Color shading



v2

JOURNEY

NATURAL IVORY



12"x24"
 ± 0.35" / 9 mm

\$27 %

Color shading



v2

ATELIER XL LINE

ATELIER XL LINE

FRAME

INTERNATIONAL WHITE



\$27%

24"x48"
 ± 0.35" / 9 mm

Color shading



v2

FRAME

NEOCLASSICAL BEIGE



\$27%

12"x24"
 ± 0.35" / 9 mm

Color shading



v2

ATELIER XL

1.9

ATELIER XL FLUTE

Delicate, steady undulations
create harmonious and dynamic
movement on walls.

PROJECT
WALL DESIGN

Veneer World AtelierXL Flute Charme Evo Pearl Grey - 24"x48"



ATELIER XL
FLUTE

1.9

ATELIER XL FLUTE

Spirit
Elegant
Oak

PROJECT

WALL DESIGN

Veneer World AtelierXL Flute Spirit Elegant Oak - 24"x48"

ATELIER XL
FLUTE

1.9

ATELIER XL FLUTE

Journey
Modern
Grey

PROJECT

WALL DESIGN

Veneer World AtelierXL Flute Spirit Old Maple - 24"x48"





1.9

ATELIER XL FLUTE

Charme Evo Pearl Grey



1.9

ATELIER XL FLUTE

Charme Evo Renoir Plus

PROJECT
WALL DESIGN
Veneer World AtelierXL Flute
Charme Evo Renoir Plus - 24"x48"

PROJECT
WALL DESIGN
Veneer World AtelierXL Flute
Charme Evo Pearl Grey - 24"x48"

ATELIER XL FLUTE

ATELIER XL FLUTE

CHARME EVO

PEARL GREY



🔪27%

24"x48"
± 0.35" / 9 mm

Color shading



V2

CHARME EVO

RENOIR PLUS



🔪27%

12"x24"
± 0.35" / 9 mm


Color shading



V2

ATELIER XL FLUTE

ATELIER XL FLUTE



SPIRIT

ELEGANT OAK



\$27%

24"x48"
 ± 0.35" / 9 mm

Color shading



v2

SPIRIT

OLD MAPLE



\$27%

12"x24"
 ± 0.35" / 9 mm

Color shading



v2

1.10
ATELIER XL
CHISEL

Thin lines with chiseled details
reminiscent of the finest artisanal
stonework, for an authentic effect.

PROJECT
WALL DESIGN

Veneer World AtelierXL Chisel Charme Calacatta Gold - 24"x48"



WORLD'S FINEST HOMES

ATELIER XL
CHISEL

1.10

ATELIER XL
CHISEL
Trail
Vein Cut
Ivory

PROJECT

WALL DESIGN

Veneer World AtelierXL Chisel Trail Vein Cut Ivory - 24"x48"



ATELIER XL
CHISEL

1.10

ATELIER XL CHISEL Trail Vein Cut Pearl

PROJECT

WALL DESIGN

Veneer World AtelierXL Chisel Trail Vein Cut Pearl - 24"x48"

ATELIER XL
CHISEL

1.10
ATELIER XL
CHISEL
Charme
Calacatta Gold

PROJECT
WALL DESIGN
Veneer World AtelierXL Chisel Charme Calacatta Gold - 24"x48"



1.10
ATELIER XL
CHISEL
Charme
Veined Statuario

PROJECT
WALL DESIGN
Veneer World AtelierXL Chisel
Charme Veined Statuario - 24"x48"

ATELIER XL CHISEL

ATELIER XL CHISEL

CHARME

CALACATTA GOLD



⌘27%

24"x48"
± 0.35" / 9 mm

Color shading



v2

CHARME

VEINED STATUARIO



⌘27%

12"x24"
± 0.35" / 9 mm

Color shading



v2

ATELIER XL CHISEL

ATELIER XL CHISEL

TRAIL

VEIN CUT IVORY



⌘27%

24"x48"
± 0.35" / 9 mm

Color shading



v2

TRAIL

VEIN CUT PEARL



⌘27%

12"x24"
± 0.35" / 9 mm

Color shading



v2



PRO LEDGESTONE

2

Linear patterns available in a variety of colors, to design refined surfaces for elegant settings. Each piece recreates the professionally assembled stacked ledgestone in a monolithic rectified porcelain veneer. Multiple and creatively variegated patterns assure a final natural effect, perfect for every decorative wall: both indoor and outdoor, for commercial as well as residential applications.

COLLECTIONS

2.1 Alpine

2.2 Ridge

2.3 Canyon

2.1 ALPINE

Delicate quartzite colors for subtle combinations within refined environments. Alpine offers designers the possibility to create clear, gentle looks with the most elegant shades on shade quartz materials.



PROJECT

FLOOR DESIGN

Charme Calacatta Gold - 24"x48"

WALL DESIGN

Veneer World Pro Ledgestone Alpine Alaska - 6"x24"



2.1

ALPINE

Alaska

PROJECT
WALL DESIGN
Veneer World Pro Ledgestone Alpine Alaska - 6"x24"

PRO
LEDGESTONE
Alpine

2.1 ALPINE Desert

PROJECT
FLOOR DESIGN
Journey Modern Grey - 24"x48"
WALL DESIGN
Veneer World Pro Ledgestone Alpine Desert - 6"x24"
Veneer World Pro Ledgestone Canyon Rock - 6"x24"

PRO LEDGESTONE

PRO LEDGESTONE

ALPINE

ALASKA


6"x24" • \$27 %

± 0.35" / 9 mm


Color shading




Stack Bond Pattern




1/4 Offset Bond Pattern



1/3 Offset Bond Pattern




Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••



A = 20.5"
B = 6"
C = 2.75"


- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"

Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••




A = 20.5"
B = 6"
C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"


Stack Bond Pattern



1/4 Offset Bond Pattern



1/3 Offset Bond Pattern



ALPINE

DESERT

6"x24" • \$27 %

± 0.35" / 9 mm

Color shading



2.2
RIDGE

Strong shades and color variations with accentuated contrast are the deepest soul of the Ridge collection, which combines looks of rich quartzite with precious slate. Diverse hues intertwine to enrich the surface and provide a unique natural feel.

PROJECT

FLOOR DESIGN

Spirit Chic Walnut - 8"x40"

WALL DESIGN

Veneer World Pro Ledgestone Ridge White - 6"x24"

Veneer World Pro Ledgestone Ridge Grey - 6"x24"




PRO
LEDGESTONE
Ridge



2.2 RIDGE White

2.2 RIDGE Grey



PROJECT

FLOOR DESIGN

Spirit Chic Walnut - 8"x40"

WALL DESIGN

Veneer World Pro Ledgestone Ridge White - 6"x24"

Veneer World Pro Ledgestone Ridge Grey - 6"x24"

2.2

RIDGE Beige

PROJECT

FLOOR DESIGN

Attitude Calm Brown - 24"x24"

WALL DESIGN

Veneer World Pro Ledgestone Ridge Beige - 6"x24"

2.2 RIDGE Black

PROJECT


OUTDOOR FLOOR DESIGN
Made.In Freedom White Grip - 12"x24"
Frontier20 Freedom White - 24"x24"
WALL DESIGN
Veneer World Pro Ledgestone Ridge Black - 6"x24"

PRO LEDGESTONE

PRO LEDGESTONE

RIDGE

WHITE



💲27%


6"x24" •
± 0.35" / 9 mm

Color shading




v2


Stack Bond Pattern




1/4 Offset Bond Pattern



1/3 Offset Bond Pattern




Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••



A = 20.5"
B = 6"
C = 2.75"


- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"

Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••




A = 20.5"
B = 6"
C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"


Stack Bond Pattern



1/4 Offset Bond Pattern




1/3 Offset Bond Pattern



RIDGE

BEIGE



💲26%

6"x24" •
± 0.35" / 9 mm

Color shading



v2

PRO LEDGESTONE

PRO LEDGESTONE

RIDGE

GREY


6"x24" • \$26 %

± 0.35" / 9 mm


Color shading




Stack Bond Pattern




1/4 Offset Bond Pattern



1/3 Offset Bond Pattern




Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••



A = 20.5"
B = 6"
C = 2.75"


- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"

Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••




A = 20.5"
B = 6"
C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"


Stack Bond Pattern



1/4 Offset Bond Pattern



1/3 Offset Bond Pattern



RIDGE

BLACK

6"x24" • \$26 %

± 0.35" / 9 mm

Color shading



2.3 CANYON

Canyon is inspired by colorful American slates, ensuring a unique touch of western atmosphere for every space. A feel of natural, earthly matter, highlighted by the rich mix of tones brought together by an ensemble of dynamically textured surfaces typical of the split stones.



PROJECT
FLOOR DESIGN
Frontier20 Modern Grey - 24"x24"
WALL DESIGN
Veneer World Pro Ledgestone Canyon Summer - 6"x24"



2.3 CANYON Summer

PROJECT
WALL DESIGN
Veneer World Pro Ledgestone Canyon Summer - 6"x24"



2.3

CANYON Rock

PROJECT
WALL DESIGN
Veneer World Pro Ledgestone Canyon Rock - 6"x24"

PRO LEDGESTONE

PRO LEDGESTONE

CANYON

SUMMER


6"x24" • \$26 %

± 0.35" / 9 mm


Color shading




Stack Bond Pattern




1/4 Offset Bond Pattern



1/3 Offset Bond Pattern




Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••



A = 20.5"
B = 6"
C = 2.75"


- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"

Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••




A = 20.5"
B = 6"
C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"


Stack Bond Pattern



1/4 Offset Bond Pattern



1/3 Offset Bond Pattern



CANYON

ROCK

6"x24" • \$26 %

± 0.35" / 9 mm

Color shading






URBAN LEDGESTONE

3

Regular and geometric patterns available in a variety of colors, to design refined surfaces for elegant indoor or outdoor settings. The surface is soft and almost completely flat reproducing the perfect water saw cut that characterized the real stone veneers. Each listel has the same height and recreates a regular and professionally reassembled stacked ledgestone in a monolithic rectified porcelain veneer. Multiple and creatively variegated patterns assure a final natural effect, perfect for every decorative wall: both indoor and outdoor, for commercial as well as residential applications.

COLLECTIONS



3.1 Explore

3.1 EXPLORE

Inspired by the noblest quartzite stones, an iconic architectural stone widely used all across North America both in outdoor and indoor applications, Explore aims to reproduce its soft veining pattern over 4 natural modern colors, enhancing creativity and design opportunities in every outdoor or indoor wall application.



PROJECT

OUTDOOR FLOOR DESIGN
Frontier20 Arctic White - 12"x48"

OUTDOOR POOL DESIGN
Frontier20 Arctic White Coping Rectified - 12"x24"

WALL DESIGN
Veneer World Urban Ledgestone Explore African Beige - 6"x24"

3.1
EXPLORE
African
Beige

PROJECT

OUTDOOR FLOOR DESIGN
Frontier20 Arctic White - 12"x48"
WALL DESIGN

Veneer World Urban Ledgestone Explore African Beige - 6"x24"





3.1

EXPLORE

Volcanic Black

PROJECT

OUTDOOR FLOOR DESIGN
Frontier20 Michelangelo Extra White - 24"x48"
Frontier20 Michelangelo Extra White - 12"x48"
Frontier20 Michelangelo Extra White - 24"x24"
Frontier20 Michelangelo Extra White - 12"x24"
Frontier20 Michelangelo Extra White Riser - 6"x48"
WALL DESIGN
Veneer World Urban Ledgestone Explore Volcanic Black - 6"x24"

3.1

EXPLORE

Volcanic Black

PROJECT

OUTDOOR FLOOR DESIGN
Frontier20 Michelangelo Extra White - 24"x48"
Frontier20 Michelangelo Extra White Riser - 6"x48"
WALL DESIGN
Veneer World Urban Ledgestone Explore Volcanic Black - 6"x24"

3.1

EXPLORE

Star Grey

PROJECT

FLOOR DESIGN

- Frontier20 Travertine Cross Cut Silver - 24"x48"
- Frontier20 Travertine Cross Cut Silver - 12"x48"
- Frontier20 Travertine Cross Cut Silver - 24"x24"
- Frontier20 Travertine Cross Cut Silver - 12"x24"
- Frontier20 Travertine Cross Cut Silver Stair Tread - 12"x48"
- Frontier20 Travertine Cross Cut Silver Riser - 6"x48"

WALL DESIGN

- Veneer World Urban Ledgestone Explore Star Grey - 6"x24"
- Frontier20 Travertine Cross Cut Silver - 24"x48"





3.1

EXPLORE

Star Grey

PROJECT

- FLOOR DESIGN
Frontier20 Travertine Cross Cut Silver - 24"x48"
Frontier20 Travertine Cross Cut Silver - 12"x48"
Frontier20 Travertine Cross Cut Silver - 24"x24"
Frontier20 Travertine Cross Cut Silver - 12"x24"
WALL DESIGN
Veneer World Urban Ledgestone Explore Star Grey - 6"x24"

3.1 EXPLORE Arctic White

PROJECT

FLOOR DESIGN

- Frontier20 Star Grey - 24"x48"
- Frontier20 Star Grey - 12"x48"
- Frontier20 Star Grey - 24"x24"
- Frontier20 Star Grey - 12"x24"
- Frontier20 Star Grey - 12"x12"

WALL DESIGN

Veneer World Urban Ledgestone Explore Arctic White - 6"x24"

3.1
EXPLORE
Arctic
White

PROJECT
WALL DESIGN

Veneer World Urban Ledgestone Explore Arctic White - 6"x24"



URBAN LEDGESTONE

URBAN LEDGESTONE

EXPLORE

ARCTIC WHITE

6"x24"•


 ± 0.35" / 9 mm

 Color shading


 v2




Stack Bond Pattern




1/4 Offset Bond Pattern



1/3 Offset Bond Pattern



Corner •




A = 20.5"

 B = 6"

 C = 2.75"

Smart Corner ••




A = 20.5"

 B = 6"

 C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"

Corner •




A = 20.5"

 B = 6"

 C = 2.75"

Smart Corner ••




A = 20.5"

 B = 6"


 C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"


Stack Bond Pattern



1/4 Offset Bond Pattern



1/3 Offset Bond Pattern



EXPLORE

AFRICAN BEIGE

6"x24"•

 ± 0.35" / 9 mm

 Color shading

 v2



URBAN LEDGESTONE

URBAN LEDGESTONE

EXPLORE

STAR GREY

 **\$26 %**


6"x24" •
± 0.35" / 9 mm

Color shading




v2


Stack Bond Pattern




1/4 Offset Bond Pattern



1/3 Offset Bond Pattern




Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••



A = 20.5"
B = 6"
C = 2.75"


- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"

Corner •



A = 20.5"
B = 6"
C = 2.75"


Smart Corner ••




A = 20.5"
B = 6"
C = 2.75"

- Actual Size: 5.8"x24"
- Actual Size: 20.5"x5.8"x2.75"


Stack Bond Pattern



1/4 Offset Bond Pattern



1/3 Offset Bond Pattern



EXPLORE

VOLCANIC BLACK

\$26 % 

6"x24" •
± 0.35" / 9 mm

Color shading



v2

PORCELAIN VENEERS INSTALLATION INSTRUCTIONS





INDEX


INSTALLATION SYSTEMS	p. 202
INSTALLATION PROCEDURE	p. 204
STEP 1 PREPARING THE SURFACE	p. 204
STEP 2 ESTIMATING THE PORCELAIN VENEERS REQUIRED	p. 205
STEP 3 PLANNING THE LAYOUT	p. 206
STEP 4 ENSURING A LEVELED INSTALLATION	p. 207
STEP 5 CHOOSING THE CORRECT MORTAR	p. 208
STEP 6 APPLYING LANDMARK'S PORCELAIN VENEER TO THE SURFACE	p. 209
STEP 7 GROUTING THE JOINTS	p. 210
CLEANING AFTER INSTALLATION AND ORDINARY CLEANING	p. 211

INSTALLATION SYSTEMS

Landmark’s porcelain veneers can be installed on the most utilized backup systems, such as wood and steel framing, cement or concrete masonry unit (CMU) and rigid insulation foam. Although this guide focuses on the installation of Landmark’s porcelain veneers on these most traditional backup systems, any properly designed and prepared backup system could be used to receive Landmark’s porcelain veneers. Please verify with your architect, structural and civil engineer that the backup system and installation methods comply with Federal, State and Local building codes as well as other rules and regulations that might apply to the project by the law and common sense.


The most traditional backup systems are:

WOOD FRAME




- 1. Sheathing
- 2. Two layers of Water Resistive Barrier (WRB)
- 3. Metal lath
- 4. Scratch coat
- 5. Mortar setting bed
- 6. Landmark’s porcelain veneers
- 7. Grout joint

CONCRETE MASONRY UNIT




- 1. Mortar applied directly to untreated unpainted masonry, concrete or stucco
 - 2. Landmark’s porcelain veneers
 - 3. Grout joints
- Note**
Concrete Masonry Unit must be free from paint, sealer and dirt. Dirty, painted, sealed and smooth surfaces/walls will require additional preparation to address these condition.

METAL FRAME




- 1. Sheathing
- 2. Two layers of water resistive barrier (WRB)
- 3. Metal lath
- 4. Scratch coat
- 5. Mortar setting bed
- 6. Landmark’s porcelain veneers
- 7. Grout joint

RIGID FOAM INSULATION




- 1. Rigid foam insulation
- 2. Two layers of water resistive barrier (WRB)
- 3. Galvanized metal lath
- 4. Scratch coat
- 5. Mortar setting bed
- 6. Landmark’s porcelain veneers
- 7. Grout joint

METAL BUILDING



- 1. Sheathing
- 2. Two layers of water resistive barrier (WRB)
- 3. Galvanized metal lath
- 4. Scratch coat
- 5. Mortar setting bed
- 6. Landmark’s porcelain veneers
- 7. Grout joint

CEMENT BOARD



- 1. Sheathing
- 2. Two layers of water resistant barrier (WRB)
- 3. Cement board
- 4. Mortar setting bed
- 5. Landmark’s porcelain veneers
- 6. Grout joint

INSTALLATION PROCEDURE

STEP 1

PREPARING THE SURFACE

Verify that the surface on which Landmark’s porcelain veneers will be installed is solid and free of any materials that would prevent the porcelain veneer from bonding. Check also that the backup system is capable of supporting the weight of Landmark’s porcelain veneers.

The surfaces on which Landmark’s porcelain veneer will be applied must have a rough texture to ensure a good mortar bond. If necessary, attaching a lath and applying a scratch coat can bring the surface to a desirable level of roughness. Please note that, whenever a lath is utilized, a scratch coat is needed.

A scratch coat may not be needed over Cement Masonry Unit (CMU) and cement board. If the lath is installed, apply a ½ inch thick layer of mortar ensuring that the mortar completely covers the lath. Scratch the mortar horizontally to create a scratch coat that will help the porcelain veneer to adhere, not only chemically but also mechanically, to the surface.



Before starting the installation, ensure that the Water-Resistant Barrier (WRB) and flashing are correctly installed. It is worth noting that different elements and materials within a structure can react differently in response to temperature and moisture fluctuations or to different loads pressure. In cases where differential movements are expected, such as at the transition between a framed backup system to a concrete masonry unit system, movement joints (control joints and expansion joints) may be needed.

Movement joints must be specified by the architect or the engineer according to ASTM C 1063 control joints requirements. Do not cover the movement joints with Landmark’s porcelain veneers as this might lead to cracking.

INSTALLATION PROCEDURE

STEP 2

ESTIMATING THE PORCELAIN VENEERS REQUIRED

Determine the amount of Landmark’s porcelain veneer products needed by calculating the area to be covered. Multiply the length by the height, the result will be the area of the surface to be covered. Subtract square footage for any space that will not be covered such as windows and doors. Measure the height of the corner walls and compute

the linear feet of corners to determine the amount of corner pieces needed. One linear foot of corner pieces covers approximately 2 square feet of surface. Subtract the area covered by the linear feet of corner pieces from the area required. It is suggested to order extra porcelain veneers to allow cutting, trimming and waste.

FORMULAS

Wall Area = Length × Height

Windows and doors areas = Windows and doors Width × Windows and doors Height

Wall Area Covered by Corners = Lineal Feet of Corners Required × 2

Square feet required = Wall Area – Windows and doors Area – Wall Area Covered by Corners

It is recommended to request extra square feet.




INSTALLATION PROCEDURE

STEP 3

PLANNING THE LAYOUT

It is recommended, in order to maintain a natural look, to follow a stack bond pattern or a 1/4 offset bond pattern or a 1/3 offset bond pattern when installing Landmark's porcelain veneers and keep the joints as small as possible. Before starting the installation, lay out several pieces on a flat surface to allow proper selection from a variety of sizes, shapes and colors.

STACK BOND PATTERN



1/4 OFFSET BOND PATTERN



1/3 OFFSET BOND PATTERN



In case of a dry stacked installation, it is recommended that all interstice gaps between Landmark's porcelain veneers are properly sealed with a specific grout for porcelain (please always refer to the grout manufacturer for further information). Also, it is recommended to comply with the building codes and federal and regional rules and regulations.

The sealing for interstice gaps it is fundamental to prevent or reduce water infiltration that may lead to the cracking and falling of the unit. Failing to do this may lead to major injuries.



INSTALLATION PROCEDURE

STEP 4

ENSURING A LEVELLED INSTALLATION

The first line of porcelain veneers will determine the levelness of each line above or underneath. To ensure that the porcelain veneers are installed straight use a chalk line: position the chalk line from side to side of the wall at a distance equal to the height of the porcelain veneer plus the desired grout spaces.

Check with the level that you have a straight horizontal line and snap the chalk line. Decide in advance whether you prefer to end up with partial porcelain veneers at the top or at the bottom of the wall.

It is recommended to start the installation from a corner or from the edge of the wall.



STEP 5

CHOOSING THE CORRECT MORTAR

Choosing the proper mortar is critical to ensure that Landmark’s porcelain veneers do not come off and that the bonding agent will not comprise the other essential functions for an exterior coating system (soundproofing, steam barrier, resistance to water, etc.).

For this reason, it is crucial to contact one of the mortar manufacturing companies (Laticrete or Mapei to mention a couple) to find out what solutions they might have available (and consequently guarantees).

Between all the products suggested from the mortar manufacturers for the bonding of the material, it is critical to choose a product that is suited for porcelain tiles for exterior application.

In some cases, the construction norms provide constrains, mandatory precautions and/or limitations on the bonding of construction materials (whether they are tiles, natural stones, manufactured stones, thin brick or other masonry product). Moreover, it is important to remember that the Building Code in the United States poses, for commercial use, a limit on the maximum dimension and weight for the glue bonding (without the assistance of mechanical hooks) of tiles, stone slabs or other materials used for exterior wall covering.

Because of this, it is important that the contractor verifies upfront these constraints keeping in consideration the characteristics of the building and its location.

In any case it is very important to contact the representative of the company manufacturing the mortar up-front to verify that the solution identified by reading the literature is correct, keeping in mind:

- The type of wall that the user is trying to cover (how it is made and what characteristics it presents)
- The type of material that the user wants to utilize (porcelain in this particular case)

ATTENTION

When contacting the representative of the company manufacturing the mortar, it is important to communicate him or her the thickness, dimension and weight of every piece of porcelain material to be installed (the information is available in the Landmark Ceramic’s price list or can be requested directly to Landmark). This way, the glue representative can suggest the best bonding material to the contractor/customer keeping in consideration the characteristics of the material to be installed.

STEP 6

APPLYING LANDMARK’S PORCELAIN VENEER TO THE SURFACE

After the scratch coat mortar, if present, has cured sufficiently, dampen the wall before starting with the application. No residue of standing water should be left.

Note: Landmark’s porcelain veneer applications should be protected from temperature below 40°F during and immediately following the installation. The use of anti-freeze admixtures to lower the freezing point of the mortar is not recommended.

Spread a layer of mortar (above the scratch coat if present) on an area about 3 square feet to create the thinset. Use the notched trowel at a 45-degree angle to create an even ridged bed. Then, the porcelain veneer should be firmly pushed into the setting bed mortar, wiggling it a bit as you push to help it adhere.

Mortar should be slightly weeping out from the entire perimeter of each piece after they are installed. Clean excess mortar off of surrounding joints during the installation process.

With the right mortar mix, moisture content and scratch coat preparation, the porcelain veneer will be stable within a few seconds of the setting movement process.

Continue to spread mortar and lay the porcelain veneers onto the rest of the wall in sections, checking with a level that each line of porcelain veneers is leveled. Place spacers between porcelain veneers to ensure even spacing. Tap each porcelain veneer with the mallet to firmly set them.

In exterior application, to guarantee even a more bonding of the unit to the surface, it is possible to back butter the Landmark’s porcelain veneer. The back-buttering process consists of covering the entire back, not only the perimeter, of the porcelain veneer with mortar using the flat-end of the trowel. This will ensure a proper adhesion of the porcelain veneer to the surface. Note that, since Landmark’ porcelain veneers are non-absorbent material, it is not necessary to wet the piece before the back-buttering process.

It is critical to verify, when creating the mortar bed and back buttering the unit that the mortar is spread evenly on the surfaces to prevent the creation of air bubbles and water infiltration that may lead to cracking.

Once all the porcelain veneers are lay down and the wall is covered let dry the wall for 24 hours.

INSTALLATION PROCEDURE

STEP 7 GROUTING THE JOINTS

Once the wall is cured, grout the joints. It is critical to use an exterior-grade grout and mixing it according to the manufacturer instruction.

Use a grout float at a 45-degree angle to spread the grout over the wall. After the grout is dried, wipe the excess grout with a sponge.



FOCUS ON: STACKED STONE INSTALLATION (TIGHT FITTED ADHERED PORCELAIN VENEER APPLICATION)

In case of tight fitted adhered porcelain veneers application, always remember to Refer to recommendation included in Step 5 for guidance regarding mortar selection. The back of the porcelain veneer and the scratch coat should be moistened with the surfaces appearing damp but free of standing water. The back of each porcelain veneer should be entirely buttered with mortar to a nominal thickness of 1/2 in. (13 mm). Cover the entire back of the porcelain veneer, not just the perimeter. Buttered porcelain veneers should be firmly worked onto the scratch coat and slid slightly back and forth to set the porcelain veneers. Achieve mortar squeeze out in a volume that results in a full setting bed which covers the scratch coat completely. As an alternative to the back-butter only method, mortar may be troweled onto the scratch coat, completely covering the scratch coat. Or, both mortar application techniques may be combined. The resulting thickness of the scratch coat and setting bed should be nominally 1 in. (25 mm) measured from the outer surface of the WRB (Water Resistive Barrier) to the back surface of the unit. With the proper mortar mix, moisture content and scratch coat preparation, the installer will feel the mortar start to grab within a few seconds of the setting movement process. At this point, no further movement of that porcelain veneer should be made as the bond will be broken. If the porcelain veneer is inadvertently moved after initial set has begun, it should be removed, mortar scraped off the back of the porcelain veneer and scratch coat, and then reinstalled following the application process. Tight fitted porcelain veneers should be applied from the corners toward the middle of a wall, and from the bottom toward the top of the wall.

CLEANING AFTER INSTALLATION AND ORDINARY CLEANING

CLEANING AFTER INSTALLATION

After grouting the joints, It is important to remove the excess grout with a sponge and clear water. After 12/48 hours, the grout in the joints will have “set up”/hardened significantly. There will be a noticeable residual “haze”. Typically, a diluted acid cleaner ideal for removing “Grout Haze”, combined with a soft scrubbing pad will remove the majority if not all the “Haze”.

Change your acid/water solution frequently for best results. It is also recommended to keep a bucket of clean water to remove the acid/water solution. It is recommended to keep and use clean dry towels to help remove as much residual water and keep the wall as dry as possible.

Please refer to the cleaning chemical company’s suggested methods and dilution rates. For areas with excess grout or grout that becomes adhered to the face of the porcelain veneer, further cleaning with an Acid/ Water Solution may be necessary.

Please refer to the Cleaning Chemical Company’s instructions as not all acids or chemicals are the same. The excess grout residue must be removed so that it does not dry and stick on the surface. It is necessary to change the cleaning water frequently and rinse well. If such cleaning procedure is not carried out, or if such cleaning is carried out too late, the grout residue could create an absorbent film, which holds dirt, making the surface difficult to clean: in this case, Landmark Ceramics will not be liable for any damage caused to the surface.

ORDINARY CLEANING

Ordinary maintenance must be carried out using specialized detergents to remove stains but these detergents must not leave a wax, film or membrane residue. Rinsing well with plenty of clean water is a fundamental part of the cleaning procedure, therefore we advise against the use of products which state that they “do not need rinsing”.

RECOMMENDED USE

Veneer World is recommended for indoor and outdoor walls, in commercial and residential application. Landmark recommends an offset no greater than 30%, if a staggered pattern is required for tiles of 20" inches or longer. Landmark recommends the use of leveler for a proper installation.

CARE AND MAINTENANCE

Do not apply any wax or sealer to the product after installation. Regular cleaning is the best way to keep Veneer World tiles looking good. Use clean, hot water (add household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. Please visit outdoor.landmarkceramics.com. For further information regarding the care and maintenance of Landmark products.

WARRANTY

Landmark guarantees that its products will meet or exceed the performance specifications set out in ANSI A137.1- 2012 and in the performance specifications section of the Landmark general catalog. For more information, please visit our website at outdoor.landmarkceramics.com.



PORCELAIN VENEER PERFORMANCE DATA

PHYSICAL PROPERTIES	TEST ASTM	NORTH AMERICAN STANDARD A137.1* / A137.3*	PORCELAIN VENEERS VENEER WORLD (REF A137.1)
			RESULTS
 Water absorption *	C373	≤ 0.5%	COMPLY WITH ANSI A137.1
 DCOF Average dynamic coefficient of friction **	ANSI A.326.3	As reported	NOT APPLICABLE
 Resistance to freeze/thaw cycling *	C1026	As reported	RESISTANT
 Resistance to thermal shock	C484	As reported	RESISTANT
 Warpage (edge)	C485	Warpage ± 0.4% or ± 0.05 in	COMPLY WITH ANSI A137.1
 Warpage (diagonal)	C485	Warpage ± 0.4% or ± 0.07 in	COMPLY WITH ANSI A137.1
 Wedging	C502	± 0.25% or ± 0.03 in	COMPLY WITH ANSI A137.1
 Chemical resistance	C650	As reported	UNAFFECTED
 Resistance to stain	C1378	As reported	UNAFFECTED
 Thickness	C499	Range: 0.04 in	COMPLY WITH ANSI A137.1
 Breaking strength	C648	250 lbf or greater	COMPLY WITH ANSI A137.1

* Average values referred to our production and related to the matt finish of the product.

** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at Headoffice, we are willing to check the lot you are interested in purchasing.

- Be sure to use tiles belonging to the same caliber.
- Test results are available on request.
- The information provided can be subject to change. Please refer to **lcusa.com** for the latest, most accurate and up-to-date information.



Landmark Ceramics - UST, Inc.

1427 N. Main Street

Mount Pleasant, TN 38474

Tel. 931.325.5700

landmarkceramics.com

LEARN MORE ABOUT

